

Please amend the claims as follows:

IN THE CLAIMS:

We claim:

1. (Currently Amended) A device for non-removably attaching a dispenser to a container comprising:
a bracket member including a closure portion adapted to engage a mouth of a container, the closure portion connected to a body of a dispenser; and
at least one extension member extending essentially perpendicular from the bracket member ~~the bracket member including a locking member~~; and
a fastening member constructed and arranged to engage the bracket member and the mouth of a container.
2. (Original) The device of claim 1 wherein the fastening member has an internal side and at least one flange member.
3. (Original) The device of claim 2 wherein the fastening member has threading on the internal side.
4. (Currently Amended) The device of claim 3 wherein the bracket member includes a locking member for securing the bracket member to the container ~~at least one extension member extending essentially perpendicular from the locking member~~.
5. (Original) The device of claim 4 wherein the locking member has at least one opening.
6. (Original) The device of claim 5 wherein locking member has an internal side and includes at least one guide member.
7. (Original) The device of claim 6 wherein the locking member has an external side and includes at least one flat raised surface.

8. (Original) The device of claim 7 wherein the extension member is connected to the closure portion.

9. (Original) The device of claim 8 wherein a dispensing member is attached to the closure portion.

10. (Original) The device of claim 9 wherein the dispensing member has a spout member, a handle member and a housing member.

11. (Original) The device of claim 10 wherein the closure portion has pathways connected to the body of the dispenser member.

12. (Original) The device of claim 11 wherein the fastening member is attached to the closure portion in an interference manner.

13. (Original) The device of claim 12 wherein the closure portion is engaged with a gasket member that engages the bottle neck.

14. (Original) The device of claim 13 wherein the fastening member is constructed and arranged to engage a bottle neck.

15. (Original) The device of claim 14 wherein the bottle neck includes at least one locking protrusion to engage with the opening of the locking member.

16. (Original) The device of claim 15 wherein the bottle neck includes at least one guide protrusion.

17. (Original) The device of claim 16 wherein the guide protrusion engages the guide member of the locking member.

18. (Original) The device of claim 17 wherein the bottle neck is threaded to engage with the threading on the internal side of the fastening member.

19. (Original) The device of claim 17 further includes an additional fastening member.

20. (Original) The device of claim 19 wherein an external side of the additional fastening member is engaged with the internal side of the fastening member.

21. (Original) The device of claim 20 wherein an internal side of the additional fastening member is engaged with the bottle neck in a non-removable manner.

22. (Original) The device of claim 21 wherein the internal side of the additional fastening member has a finger engaging portion.

23. (Original) The device of claim 22 wherein the finger engaging portion engage a groove on the bottle neck.

24. (Original) The device of claim 23 wherein a bottom side of the additional fastening member includes at least one tooth.

25. (Original) The device of claim 24 wherein the tooth is engaged with at least one indentation on a bottom side of the internal side of the fastening member.

26. (Original) A device for non-removably attaching a dispenser adapted to be connected with a bottle, the bottle having a threaded neck, a fastening member threadably attached to the bottle neck, the fastening member attached to a bracket member including a closure portion attached to a dispensing member on a top side of the closure portion and the closure portion having at least one pathway connected to the dispensing member, the closure portion connected on a bottom side to at least one extension member connected to a locking member wherein the locking member has at least one opening for receiving a locking protrusion on the bottle neck, the locking member further having at least one guide member for engaging at least one guide protrusion on the bottle neck.

27. (Original) A device for non-removably attaching a dispenser adopted to be connected with a bottle, a fastening member threadably attached to an additional fastening member, the additional fastening member non-removably attached to said bottle, the fastening member attached to a bracket member including a closure portion attached to a dispensing member on a top side of the closure portion and the closure portion having at least one pathway connected to the dispensing member, the closure portion connected on a bottom side to at least one extension member connected to a locking member wherein the locking member has at least one opening for receiving a locking protrusion on the bottle neck, the locking member further having at least one guide member for engaging at least one guide protrusion on said bottle neck.